

達梭系統SIMULIA結構分析軟體於Oracle HPC雲端運算的應用

議程大綱

- 達梭系統SIMULIA結構分析軟體 於Oracle HPC的應用
- Oracle HPC/GPU solution for Abaqus



ORACLE

Oracle HPC/GPU solution for Abaqus

Rick Chuang

莊復貴 首席雲端顧問

Oct, 28 2021

Safe harbor statement

The following is intended to outline our general product direction. It is intended for information purposes only, and may not be incorporated into any contract. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described for Oracle's products may change and remains at the sole discretion of Oracle Corporation.



Agenda



- On-premises CAE workload challenges & market trends
- HPC/GPU cloud benefits
- Oracle HPC/GPU offering
- HPC/GPU price/performance
- HPC/GPU Security Design
- HPCGPU Partner Ecosystem - CAE
- Why Oracle Cloud Infrastructure?

On-premises CAE workload challenges

容量規劃



正確平衡計劃內和計劃外需求的能力



供應鏈和採購流程可能導致幾個月的延誤



現有容量無法足夠快地運行我們的工作

高建置成本



過度配置以確保突發能力可能導致超支



傳統硬體性能損失的成本。



電源、冷卻、聯網、存儲、硬體和軟體增加了本地成本

難以優化維運



HPC 群集必須運行接近容量，以最大限度地提高投資回報率




供應不足會導致新工作、生產率的排長隊時間



封廠停電措施、空調和人員安全。


遵守安全和合規要求要求很高，失誤可能是毀滅性的

Oracle's HPC journey



Oracle Cloud Infrastructure Global footprint

Aug 2021: 30 Regions Live, 14+ Planned; 8 Azure Interconnect Regions



True disaster protection with compliance in all regions

- Dual cloud regions in 6 countries and EU today
- Multi Availability Domains (4)
- 3 Fault Domains per Availability Domain

Native multi-cloud support

- 7 cloud regions with Azure interconnect



World Class Security and Compliance

Keeping your data safe and compliant with industry standards



PCI

Payment card industry data security standards



GLBA

Gramm Leach-Bliley Act



SSAE16 SOC 1 And SOC 2

Statement on Standards for Attestation Engagements



NIST SP800-53

National Institute of Standards and Technology



ISO 27001 (SoA)

An information security management system standard



FISMA

Federal Information Security Management Act



FedRAMP, G-Cloud, IRAP



UK Data Protection Act



HIPAA

Health Insurance Portability and Accountability Act



EU Data Privacy Directive 95/94/EC



DIACAP


DOD Information Assurance Certification and Accreditation Process



FIPS 140-2


Federal Information Processing Standard

How Customers Benefit From Moving HPC/GPU workloads to the Cloud



Oracle Cloud Infrastructure for HPC/GPU

**Maximize your compute spend to deliver
innovation fast**



最新計算硬體

- 利用高功率Intel Gold Xeon 跟 AMD EPYC CPUs在最新硬體上運行您的 HPC 工作負載
- 加快複雜數據模型和結構的可視化使用NVIDIA GPUs (V100 and A100)
- 專用裸機實例支援需要高核心計數、大量記憶體和高記憶體頻寬的應用程式
-



“What we really liked about the bare metal offering from Oracle is that there was very little technology between us and the hardware.”

David Standingford
Director and Co-founder



Run HPC on leading-edge processors



EPYC Standard Instance – available now

- Based on AMD EPYC architecture
- Both Bare-Metal & VMs
- Cores: 1 – 128 cores (2.25Ghz base with up to 3.4Ghz boost)
- Memory: up to 2TB
- 100Gbps overall network bandwidth

* Planned for 2021



Skylake processors – available now

- Intel Gold Xeon
- Cores: 18 cores with 3 GHz Clock speed and 3.7 Max Turbo frequency
- Memory: Up to 768GB



X9 Next Gen Intel Instances*

- Next Gen Intel processors
- Cores: 1 – 36 cores with High-Frequency (3.x Ghz+)
- 2x 100G RDMA
- Local NVME SSDs
- Scale to 1000s of cores per cluster



GPU Bare-Metal Instances *

- NVIDIA Ampere Architecture
- Both Bare-Metal and VMs
- GPUs: up to 8 (for BM)
- Memory: Up to 2 TB
- 1.6 Tbps RDMA

利用硬體世代更替帶給你的效益

Application	Cores	LHR X9 Cluster Time (HH:MM:SS)	LHR X7 Cluster Time (HH:MM:SS)	%Gain on X9
Abaqus	108	01:57:10	02:27:25	17.73
	216	11:34:17	14:19:52	19.26

Intel 第二代的跟第三代的CPU,
Abaqus效能提升17~19%+



用於 HPC/GPU 應用程式的高性能 集群網路

- 100 Gbps網路介面卡及 RDMA over converged Ethernet (RoCE) v2
 - Latency as low as 1.5 μ s
- 標準裸機伺服器支援雙 25 Gbps 乙太網，可快速存取計算集群。
- 安全、虛擬的雲網路使您能夠輕鬆地將現有網路拓撲移到雲中。
-




“Oracle shows the best performance due to the combination of the latest generation of computing hardware and low-latency / high-bandwidth interconnect network that facilitates efficient.”

**Timur Bazhirov &
Mohammad Mohammadi**
Founders, Exabyte.io



高頻寬，延遲低RDMA 集群網路

- 甲骨文將伺服器直接連接到 RDMA Switch
- 集群網路– Up to 20,000 cores 在一個 RDMA 集群
- 沒虛擬層, 沒虛擬機, 提供裸機100% HPC效能跟安全性
- 1.5 μ s latency, 100Gb/s



*Planned for 2H 2020



易於部署文件系統和高性能存儲

- 只需 3 次單擊，就會在 OCI 上部署 HPC 分享檔案系統
- 從廣泛的分享檔案系統中進行選擇: IBM Spectrum scale, BeeGFS, Lustre, Quobyte and more
- 達到 60 -140 GB/sec 輸送量 for HPC 平行分享的檔案系統
- HPC 機器包括 6.4 TB local NVMe
- 高性能提供全快閃記憶體區共用存儲
-



“Oracle Cloud is the only major cloud provider delivering Spectrum Scale in a shared-storage architecture on bare-metal hardware. The Oracle offering has been tuned for the demands of HPC and big-data analytics and offers 10X performance advantage over virtualized cloud offerings, improved flexibility, scalability, and manageability.”

Michael Sedlmayer
President, Re-Store

Re-Store | A HPC
Redesigning HPC, Big Data & AI Workloads for the Cloud



Oracle HPC Solutions




CFD Ready Cluster*

Everything you need to start running your CFD workloads: including CFD libraries - Fluent, Star-CCM+, Converge, OpenFOAM

Automate your CFD Ready HPC cluster deployment

[CFD Ready Cluster on Oracle Marketplace](#)

*Note: OpenFOAM and prerequisite libraries are distributed with the cluster. BYOL applicable for commercial packages




OCI HPC File Systems (HFS)

Just in three clicks you can have a file system up and running at peta-byte scale

Deploy your choice of parallel file system – BeeGFS, Lustre, Gluster, IBM Spectrum Scale

[OCI HPC File System \(HFS\) on Oracle Cloud Marketplace](#)



Easy HPC

Simple command line to deploy HPC clusters of any size on dedicated bare metal HPC compute

No expertise of Terraform or OCI resource manager required to launch network clusters

Deployment includes a complete set of software packages for running parallel processing with RDMA

Customizable to execute your own terraform scripts


[Oracle quickstart on GitHub](#)

快速佈建你需要的**CAE** 運算資源與環境 – 3 Clicks Only





<https://www.youtube.com/watch?v=Gjf5L3TcsD0>


HPC/GPU outperforms competition and
offers on-premises levels of performance




OCI offers supercomputer-level performance and tests higher than AWS and Azure



RDMA Cluster Networking benchmark




OCI vs. competition




OCI vs. competition

<https://docs.exabyte.io/benchmarks/2018-11-12-comparison/>

Dataflow – Sample (Schedule Job 依據客戶需求)



Why HPC/GPU is better on Oracle than other clouds



最新計算硬體

在下一代硬體上運行您的 HPC 工作負載
使用專用裸機實例獲得根自有機房同等或
優於的性能和控制水準

獲得比其他雲供應商更好的性價比—
Oracle is 44% less expensive than AWS
for CFD workloads.



可擴展、獨立存儲

6.4 TB本地NVMe快閃記憶體裸機實機，比
任何其他供應商優的規格

Get extreme low latency storage for
shared-nothing architectures or fast local
scratch storage


- 對於額外的存儲，利用彈性塊存儲量，
每個容量可提供高達 32 TB，每卷可提供
高達 35,000 個 IOPS，並輔以性能
SLA
- 從可多樣的平行共享的檔案系統，在 3 次
單擊中部署中進行選擇



專業網路

- 實現 100 Gbps 網路輸送量，延遲低於 2
微秒，具有安全、隔離RDMA over
converged ethernet (RoCE) v2
- 在單個 RDMA 集群中支持超過 20,000
個內核
- 使用雙 25 Gbps 頻寬的非超額訂閱網路，
快速存取計算集群
- 通過虛擬雲網路輕鬆將現有網路拓撲移到
雲中
- 僅有網路性能 SLA 的雲端服務商
-

HPC/GPU Price and Performance



Pricing comparison – HPC Shapes

Oracle price performance is higher than our competitor's offerings


Oracle HPC shape has

- Bare metal
- The lowest network latency
- More memory per core
- More local NVME SSD storage
- Low and consistent pricing

* Any compute can be used for HPC, the instances here are the “High Frequency” instances offered by the respective cloud

Price Comparisons across 3 regions for HPC Shapes

Oracle offers globally consistent pricing across regions, at lower cost than its competitors



Lower product pricing than other clouds

	Oracle	AWS	Azure	GCP
Virtual Machine Standard (\$/OCPU/Hour)	\$0.0638	+49%	+49%	+46%
Virtual Machine Dense IO (\$/OCPU/Hour)	\$0.1275	+18%	+48%	+20%
Bare Metal Standard (\$/OCPU/Hour)	\$0.0638	+45%	N/A	N/A
Bare Metal Dense IO (\$/OCPU/Hour)	\$0.1275	+4%	N/A	N/A
Kubernetes Cluster (monthly, 50 cores, 750GB RAM)	\$2,297	+56%	+50%	+32%
Block Storage High IO (monthly, 400GB 30K IOPS)	\$23.80	+7,900%	+2,900%	+400%
Object Storage (\$/GB/Month/200M Requests)	\$0.7055	+13,00%	+400%(複雜)	+1,100%
Data Archive (\$/GB/Month)	\$0.0026	+35%	-30%	+63%
Internet Data Egress (50TB/Month)	\$340 (10Tb Free)	+1,300%	+1,300%	+1,300%
Private Line Network (1 Gbps, 100TB Data, Monthly)	\$155	+2,100%	+3,700%	+1,500%
Site to Site VPN	\$0	\$35	\$30	\$35

GPU實例 (V100): 比較 – 東京機房

ORACLE®

Compute
(BM.GPU3.8;
8GPU, 520CPU, 768GB)

\$2.95
/GPU/時

A社

A社 Compute
(p3.24xlarge;
8GPU, 96vCPU, 768GB)

\$5.348/RI 3.153
/GPU/時

M社

VM
(NC24s v3;
4GPU, 24核心, 448GB)


\$4.194
/GPU/時

Zero Trust Architecture— 如何保護你的關鍵CAE 環境




Isolation: threat containment and reduced risk


1st Generation Cloud




Oracle 2nd Generation Cloud



Multiple layers of defense in depth



Key service to protect your environment



區域 Oracle Cloud Infrastructure 區域是包含一或多個資料中心 (稱為可用性網域) 的本地化地理區域。

可用性網域 可用性網域是區域內獨立的獨立資料中心。每個可用性網域中的實體資源都會與其他可用性網域中的資源隔離，以提供容錯。可用性網域不會共用基礎架構，例如電源、冷卻或內部可用性網域網路。

容錯域 容錯域是一組可用網域內的硬體和基礎架構。每個可用網域都有三個具有獨立電源與硬體的容錯域。

虛擬雲端網路 (VCN) 和子網路 VCN 是您在 Oracle Cloud Infrastructure 區域中設定的可自訂軟體定義網路。VCN 就像傳統資料中心網路一樣，可讓您完全控制網路環境。VCN 可以有許多個非重疊的 CIDR 區塊，供您在建立 VCN 之後變更。您可以將 VCN 區隔為子網路，子網路範圍可設為某個區域或可用網域。

雲端保全 您可以使用 Oracle Cloud Guard 來監督及維護您在 Oracle Cloud Infrastructure 中的資源安全。「雲端保全」使用 *可定義的偵測器* 方法來檢查安全弱點的資源，以及監督操作員和使用者是否有風險活動。

BM GPU/CPU 使用裸機 GPU/HPC 資源配置進行硬體輔助分析與其他運算。

區塊儲存 將您的應用程式儲存在區塊儲存中。

網路閘道 網際網路閘道可讓 VCN 中的公用子網路與公用網際網路之間的流量。

安全清單 您可以為每個子網路建立安全規則，以指定子網路中必須允許的來源、目的地以及流量類型。

路由表 虛擬路由表包含將流量從子網路路由至 VCN 外部之目的地的規則，通常會透過閘道。



Oracle Cloud Infrastructure和零信任

- OCI 是預設拒絕（連接、身份驗證和使用以拒絕為前提）
- 未經許可，您就無法執行任何操作：安全清單、隔間、策略設置等。
-



非常安全的地方

Maximum Security Zone

- 始終打開安全設置
 - 你不能從"拒絕"中更改它
-



持續監控安全位置

Cloud Guard

- 自動識別從「拒絕」更改時的問題，
根據需要自動糾正
-

Cloud Guard



Pervasive watch and kill

- Cloud Guard constantly watches and collects data from Audit, Data Safe, OS Management, Logging, and Network Flow Logs services.
 - Gen 1 clouds don't offer a unified system to collect data from all services.
- Cloud Guard analyzes data, and detects threats and misconfigurations. It can alert you, and better yet, it can kill threats with no human intervention.
 - Gen 1 clouds are only reactive and alert you. You're left with the hard, slow, and manual task of killing the threat yourself.

Cloud Guard



Oracle Cloud Guard : 儀表板



Maximum security zones

Maximum security can be easy and always on

- Oracle Maximum Security Zone is a zone within your environment where security is not a choice. It's always on.
- Resources launched in this zone will be on dedicated infrastructure with the highest levels of data encryption and network security.
- Gen 1 clouds offer a long list of security tools that are extremely complex to set up, and very easy to screw up.



Security Zones – Maximum Security

ORACLE Cloud

Search for resources, services, and documentation

US Dev West (Seattle) ▾

Security Zones

Overview

Recipes

Security Zones

Security Zones automatically enforce security standards and best practices on resources in selected compartments. Users cannot create or update a resource in a security zone if the action violates a security zone policy. [Learn More](#)

Create Security Zone

Name	Status	Recipe	Created
DockerizeCanary	● Active	Maximum Security Zone 2020Q3	Fri, Jul 24, 2020, 22:32:33 UTC
lgor-SZ-in-root	● Active	Maximum Security Zone 2020Q3	Sun, Jul 26, 2020, 19:16:25 UTC
MSZ_Comp	● Active	Maximum Security Zone 2020Q3	Thu, Jun 4, 2020, 17:21:55 UTC
MSZ_demo_comp	● Active	Maximum Security Zone 2020Q3	Wed, Jun 3, 2020, 23:38:31 UTC

Security Zones » Recipes » Recipe Details

This Recipe is Oracle managed and its policies cannot be modified

Maximum Security Zone 2020Q3

Clone Recipe

Edit Recipe

Details

OCID: ...l3ip7pimlq

ShowCopy

Policies

Policy Statement

DENY PUBLIC_SUBNETS

DENY PUBLIC_BUCKETS

DENY DB_INSTANCE_PUBLIC_ACCESS

DENY BLOCK_VOLUME_WITHOUT_KMS_KEY

DENY BUCKETS_WITHOUT_KMS_KEY

DENY MSZ_VOLUME_ATTACH_TO_NON-MSZ_INSTANCE


DENY NON-MSZ_VOLUME_ATTACH_TO_MSZ_INSTANCE

DENY DB_INSTANCE_WITHOUT_BACKUP

DENY RESOURCE MOVEMENT FROM MSZ TO NON-MSZ

36 Copyright © 2020, Oracle and/or its affiliates | Unrestricted

Deploy virtual desktop infrastructure (VDI) with high-performance computing (HPC)



- 支援多種的VDI 方案如 – Citrix 或 Open Source VDI.
- 隨選迅速佈建基礎架構有助於快速進行疊代和水平擴充

雲端保全複製並自訂 Oracle 提供的預設方法，以建立自訂偵測器和回應器方法。這些處方可讓您指定哪些類型的安全違規會產生警告，以及允許對它們執行哪些動作。


安全區域對於需要最高安全性的資源，Oracle 建議您使用安全區域。安全區域是與以最佳做法為基礎之 Oracle 定義的安全原則方法關聯的區間。

防禦主機節點 節點是用來作為防禦主機並排定 HPC 工作，因此不需要在本機連附的儲存體或 GPU 處理。

VDI 伺服器 使用 VM.GPU3。X Compute 資源配置，因為此節點用於視覺化，且可能是以圖形密集的應用程式安裝。



HPC/GPU ISV Ecosystem



HPC ISV Ecosystem

Visual effects
rendering



Artificial
intelligence &
deep learning




Manufacturing
Automotive
Aerospace



Open source HPC
applications



Summary



Oracle Cloud Infrastructure :經濟而強大的基礎支持您的CAE 應用

性能

- 最強大的裸機實例，無使用虛擬化
- <2 us latency with RDMA 網路
- Flat non-oversubscribed network for fast ingress/egress of data
- 超快超大的 IOPS/GB
超快的 IOPS/instance
- 匹配甚至超越自有資料中心的運行效能

價格

- 更好的性價比，比AWS便宜44%，以運行差價合約的工作量
- 獲取或服務數據的最低價格-低出口費用- 比其他雲端業者少75%, 每個月提供10Tb免費
- 跨區域全球一致定價
- 專線網路定價-沒有額外的或不同的費用數據量移動線
-

規模和靈活性

- 在單個 RDMA 集群中擴展至 20,000 個內核
- 在每個可用域 (AD) 中擁有約100萬個網路埠的非常大的網路
- 全球數據中心足跡
- 幾分鐘內快速部署基礎設施
- 加速您的執行工作, 快速反應客戶跟市場需求
-

安全性和可靠性

- 唯一提供跨計算、網路和儲存的性能、管理和可用性 SLA 的雲端供應商
- 隔離的網路虛擬化，提高安全性，降低風險
- 基礎設施監測和身份執行
-



ORACLE